Math 32B Exam 1

Param Tejas Shah

TOTAL POINTS

47 / 50

QUESTION 1

TF 8 pts

1.1 TF 2/2

√ - 0 pts True

1.2 Yes/No Integrals 6 / 6

√ - 0 pts no no no no yes yes

QUESTION 2

Worksheet Question 10 pts

2.1 Rectangular coords 1/4

√ - 2 pts incorrect y-bounds

√ - 1 pts Not a sum

2.2 Polar coords 6/6

- √ + 6 pts Correct
 - + 1 pts Correct bound
 - + 2 pts Correct bounds
 - + 1 pts Correct integrand (excluding Jacobian)
 - + 2 pts Jacobian
 - + 1 pts Correct final answer
 - 1 pts Minor Miscalculation/Incorrect final answer
 - + 0 pts incorrect or nothing shown

QUESTION 3

Non-linear transformation 10 pts

- 3.1 Picture 4 / 4
 - √ 0 pts Correct (third picture)
- 3.2 Integral 6/6
 - √ 0 pts Correct

QUESTION 4

Q4 10 pts

4.1 Sphere/Cone 4 / 4

√ - 0 pts Correct

4.2 Volume integrals 6/6

√ - 0 pts Correct

QUESTION 5

MC 12 pts

5.1 Spherical Plane 3/3

√ - 0 pts theta=pi/4

5.2 Jacobian 3/3

√ - 0 pts 2u^2+2v^2

5.3 Cylindrical Plane 3/3

 $\sqrt{-0}$ pts r=1/cos\theta

5.4 Linear Map 3/3

√ - 0 pts (6u+2v, u+4v)

Full Name Param Shah

UID 205143347

3A	Ben Szczesny	T	GEOLOGY 4645		
3B		R	GEOLOGY 4645		
3C	Talon Stark	T	PUB AFF 2242		
3D		R	MS 6221		
3E	Ryan Wallace	Т	BUNCHE 3156		
3F	4756	R	DODD 78		

Section 3 A	Section	3	A
-------------	---------	---	---

Sign your name on the line below if you do NOT want your exam graded using GradeScope. Otherwise, keep it blank. If you sign here, we will grade your paper exam by hand and a) you will not get your exam back as quickly as everyone else, and b) you will not be able to keep a copy of your graded exam after you see it.

- Fill out your name, section letter, and UID above.
- Do not open this exam packet until you are told that you may begin.
- Turn off all electronic devices and and put away all items except for a pen/pencil and an eraser.
- No phones, calculators, smart-watches or electronic devices of any kind allowed for any reason, including checking the time.
- If you have a question, raise your hand and one of the proctors will come to you. We will not answer any mathematical questions except possibly to clarify the wording of a problem.
- Quit working and close this packet when you are told to stop.

Spherical coordinates:

$$x = \rho \sin \phi \cos \theta$$

$$y = \rho \sin \phi \sin \theta$$


$$z = \rho \cos \phi$$

$$dxdydz = \rho^2 \sin\phi \, d\rho d\phi d\theta$$

Page:	1	- 2	3	4	5	Total
Points:	8	10	10	10	12	50
Score:						

You may use this page for scratch work.


1. (8 points) (a) True or False? (circle one)
$$\int_{1}^{4} \int_{0}^{1} \sqrt{y} \sin(x^{2}y^{2}) dxdy \leq 6$$



(b) Let D be the region in the positive octant $(x, y, z \ge 0)$ enclosed by the sphere $x^2 + y^2 + z^2 = 4$ and the planes z = 0, x = 0, and x = y. For each integral below, circle "yes" or "no" depending on whether or not it equals $\iiint_D x dV$.

True

False



yes no
$$\int_0^{\pi/2} \int_0^{\pi/4} \int_0^2 \rho^3 \cos \theta \sin^2 \phi \, d\rho \, \underline{d\theta} \, d\phi$$

$$\frac{\int_0^{\sqrt{2}} \int_0^{\sqrt{4-x^2}} \int_0^{\sqrt{4-x^2-y^2}} x \, dz \, dy \, dx}{\chi}$$

yes (no)
$$\int_{0}^{\pi/2} \int_{\pi/4}^{\pi/2} \int_{0}^{2} \rho^{2} \cos \theta \sin \phi \, d\rho \, d\theta \, d\phi$$

$$\int_{0}^{\pi/2} \int_{\pi/4}^{\pi/2} \int_{0}^{2} \rho^{2} \cos \theta \sin \phi \, d\rho \, d\phi \, d\theta$$


$$\otimes \qquad \otimes \qquad \qquad \otimes$$

$$\int_0^2 \int_{\pi/4}^{\pi/2} \int_0^{\sqrt{4-r^2}} r^2 \cos\theta \, dz \, d\theta \, dr$$


$$\int_{0}^{\pi/2} \int_{0}^{2} \int_{\pi/4}^{\pi/2} \rho^{3} \cos \theta \sin^{2} \phi \, d\theta \, d\rho \, d\phi$$

- 2. (10 points) Let R be the region in \mathbb{R}^2 which lies above the x-axis and between the circles of radius 1 and 2 centered at (0,0).
 - (a) Write the following integral as a sum of integrals in rectangular coordinates:

$$\iint_R 3y \, dA.$$




$$= \int_{-2}^{2} \int_{1-x^{2}}^{4-x^{2}} 3y \, dy \, dx$$



$$= \int_{0}^{\pi} \int_{0}^{2} 3(rsino) \cdot r dr do = \int_{0}^{\pi} 3sino \cdot \left[\frac{\pi^{3}}{3}\right]_{1}^{2} do$$

$$= \int_{0}^{\pi} s^{2} \sin \theta \cdot (8 - 1) d\theta = 7 \left[\left[-\cos \theta \right]_{0}^{\pi} = 7 \left(1 - (-1) \right) \right]$$

$$= 7 \cdot 2 = \boxed{14}$$








$$G(u, v) = (u + v + uv, -u + 2v + 2uv)$$
.


Let R be the unit square $[0,1] \times [0,1]$ in the uv-plane and let D = G(R) in the xy-plane. (1,0) = (1,0)


(a) Circle the picture of D below. The dashed grid consists of unit squares.











$$\iint_D \sqrt{x} \, dA$$

as an integral over the square R. Do not evaluate the integral. Show your work.

$$(1(u, v)) = (u + v + uv, -u + 2v + 2uv)$$

 $\Rightarrow x = u + v + uv \Rightarrow y = -u + 2v + 2uv$

$$Jac(Ci) = det \begin{bmatrix} 1+v & 1+u \\ -1+2v & 2+2u \end{bmatrix} y = (1+v)(2+2u) - (1+u)(-1+2v)$$

$$= 2+2u+2v+2uv - (-1+2v-u+2uv)$$

$$= 2+2u+2v+2uv+1-2uv+1-2uv$$


$$= 2+2u+2v+2uv+1-2uv+1-2uv$$


$$2 + 2u + 2v + 2uv - (-1+2v)$$

 $2 + 2u + 2v + 2uv + 1 - 2v + u - 2uv$
 $3(1+u)$

$$\iint_{D} \sqrt{x} \, dA = \iint_{D} \int_{0}^{1} \int_{u+v+uv} \cdot 3(1+u) \, du \, dv$$

4. (10 points) (a) In spherical coordinates, describe the region outside the cone $x^2 + y^2 = z^2$ and inside the sphere $x^2 + y^2 + z^2 = 2$ (shown below – the sphere is translucent so you can see the cone inside).






$$0 \le \theta \le 2 \text{ T}$$

$$\frac{\pi}{4} \le \phi \le \frac{3\pi}{4}$$

$$0 \le \rho \le \sqrt{2}$$

(b) Fill in the limits and integrand of the double and triple integrals below so that they both equal the volume of the region in the first octant $(x, y, z \ge 0)$ below the plane x + y + z = 1. Be sure to follow the provided order of integration.



$$Vol = \int_0^1 \int_0^{1-y} (-x - y) dx dy$$

$$Vol = \int_{0}^{1} \int_{0}^{1-z} \int_{0}^{1-z} \frac{1-z-z}{1} dy dx dz$$

5. (12 points) Multiple choice. Circle the correct answer.

(a) In spherical coordinates the plane y = x can be written as

$$\rho = \frac{1}{\cos \phi}$$

$$b = \frac{\pi}{3}$$
 ρ

$$=\frac{\pi}{4} \quad \rho = \frac{1}{\sin \phi}$$


(b) The Jacobian of the map $G(u, v) = (u^2 - v^2, uv)$ is

(c) In cylindrical coordinates the plane x = 1 can be written as

$$r = \frac{1}{\cos \theta} \qquad \theta = \frac{\pi}{3} \qquad r = 1 \qquad \theta = \frac{\pi}{4} \qquad r = \frac{1}{\sin \theta}$$

(d) The linear map which sends the unit square $[0,1] \times [0,1]$ to the parallelogram with vertices (0,0), (6,1), (8,5), and (2,4) is G(u,v) =

$$(6u+v, 2u+4v)$$
 $(6u+2v, u+4v)$ $(6u+v, 4u+2v)$ $(6u+2v, 4u+v)$ $(6u+4v, u+2v)$



$$(1(1,0) \rightarrow (6,1)$$

$$(1(0,1) \rightarrow (2,4)$$

.